

1000MC-WE

1/2.8" 1000 TVL Mobile CAMERA



Key Features

- 1/2.8" SONY IMX238 CMOS
- Horizontal Resolution 1000 TVL
- 0.01 Lux @ F 2.0; (0 Lux IR ON)
- 2 MP HD 3.6 mm fix lens
- White Balance (selectable)
- AE Mode (selectable)
- Voltage 12VDC
- Cable with joystick for OSD
- 24 IR LED up to 39.4 ft. (12 mts.) IR distance
- NTSC or PAL

Dimensions

80 mm (V)
99 mm (W)
70mm (H)

Model	1000MC-WE
Signal System	NTSC/PAL
Image Sensor	1/2.8" SONY IMX238 CMOS
Total Pixels	1305 (H)X1049(V)
Resolution	1000 TV Lines
SNR	>52dB,(AGC Off)
Min. Illumination	Color: 0.01 Lux @ F2.0 B/W: 0 Lux (IR On)
Video Output	1.0Vp-p/75Ω
Lens	2 MP HD 3.6 mm fix lens
White Balance	Selectable
Day & Night	Auto/Color/BW / External
AE Mode	Selectable
D-WDR	Auto
DNR	3D DNR
Image adjustment	Brightness/contrast/sharpness/saturation
Motion Detection	4 areas
Privacy Masks	8 areas
Language	English, Chinese
Flip / Mirror	ON/OFF
Electronic Shutter	Auto/1/50(1/60)-1/100,000sec.
IR Distance	12 m
IR LEDs	24 pcs
Input Voltage	12V DC ±10%
Power Consumption	390mA max
Operation Temperature	-10°C (14°F)~ +50°C (122°F)
Dimension	80 mm(V) x 99 mm(W) x 70mm(H)
Weight	467g
Water-proof	IP67
Vandal-proof	IK10

*Design and specifications are subject to change without prior notice.

Accessories